



## TruPort: Accessories

Efficient solutions for greater flexibility and ergonomics at the medical workstation.

# Ready for every assignment.

## TruPort accessories: optimized for daily use

Medical workstations in ICUs and operating rooms are subject to new challenges and modifications almost every day. Whereas more and more devices and instruments are improving medical care, the users are looking for more flexible and powerful supply systems for their daily work. The focus is on the safety of patient and nursing staff as well as ergonomics and efficiency at the medical workstation.

The TruPort ceiling mounted supply unit and accessories combine to meet your requirements. The modular design allows the user to integrate new accessories at any time and to adjust the workstation to changing requirements. Thanks to the TruPort click mechanism and the M and MPC Rail technology, it is a quick process with no tools required. While the M rail integrated in the TruPort support head is only used to mount accessories, additional equipment can be attached to the optional MPC rail which uses low voltage power. Function commands are forwarded via a BUS system (MPC = Mounting, Power, Communication).

Select from a variety of TruPort accessories – designed from many years of experience. Every single product is optimized for daily use. Benefit from the simplicity and flexibility of the system for initial installation and modifications to meet your needs.

These features make the TruPort the most efficient and future-proof supply systems in the world.

Not all of the products are available worldwide.  
Subject to change. The details/prices in our offer and order confirmation shall be authoritative.

# Contents

Control options	4
Shelves	8
Drawers	12
Lighting	16
Monitor holders	20
Lifting systems	26
Equipment transport	28
Equipment rails	30
Cable management	32
Infusion management	34
Device holders	38
General accessories	40

# Control options

The various control options enable you to operate the brakes and the height adjustment of the pendant arms in any desired position – for easy access and an ergonomic working position.

The functions can be operated using the following control options: Control module directly on the pendant, control handles on the shelves or directly on the pendant, or cable remote control. Certain versions enable the simultaneous use of several control options per system head.



## Control module (M Rail)

Control module integrated in the system head for easy access to adjust the pneumatic brakes and pendant height.

- Available for M Rail version
- Available for the S and L side of the system head
- Position changes in graduations of +/- 125 mm possible with tool
- One control option per system head

Operating module TruPort · **Mat. No. 1851209**



## Control handle, shelf (M Rail, ML)

Control handle integrated in the shelf for easy access to adjust the pneumatic brakes and pendant height.

- Available for M Rail version
- Position change in the range of +/-250 mm without tool possible
- One control option per system head

Operating handle shelf ML · **Mat. No. 1851208**



### Control handle extension (M Rail)

Control handle with extension for easy access to adjust the pneumatic brakes and pendant height. Recommended for pendants fitted with a large number of medical devices.

- Available for M Rail version
- Available for the L side of the system head
- Ideal for infusion system heads with fluid management systems
- Extension, 100 mm
- Position change in the range of +/-250 mm without tool possible
- One control option per system head

Operating handle TruPort exten. M Rail · **Mat. No. 1904720**



### Control handle, vertical (MPC Rail, Set)

Control handle directly mounted at the system head for easy access to adjust the electropneumatic brakes and pendant height.

- Available for MPC Rail version
- Flexible position change via click mechanism
- Multiple control options available per system head

Operating handle TruPort vertical (set) · **Mat. No. 1636396**



### Control handle, shelf (MPC Rail, HL)

Control handle integrated in the shelf for easy access to adjust the electropneumatic brakes and pendant height.

- Available for MPC Rail version
- Flexible position change via click mechanism
- Multiple control options available per system head

Operating handle shelf HL · **Mat. No. 1636351**



### Control handle extension (MPC Rail)

Control handle with extension for easy access to adjust the electropneumatic brakes and pendant height. Recommended for pendants fitted with a large number of medical devices.

- Available for MPC Rail version
- Available for the L side of the system head
- Ideal for infusion system heads with fluid management systems
- Extension, 320 mm
- Flexible position change via click mechanism
- Multiple control options available per system head

Operating handle TruPort exten. MPC Rail · **Mat. No. 1771218**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories



## Remote control (MPC Rail)

Cable remote control for easy access to adjust the electro-pneumatic brakes and pendant height.

- Available for MPC Rail version
- Attached to equipment rails 25x10 mm, 30x10 mm, Uniflex and Duoflex
- Flexible position change via click mechanism
- Multiple control options available per system head

Remote control TruPort (set) · **Mat. No. 1636397**

General accessories

Device holders

Infusion management

Cable management

Equipment rails

Equipment transport

Lifting systems

Monitor holders

Lighting

Drawers

Shelves

Control options

# Shelves

Shelves of different sizes provide space for various medical devices – on each side and any length of support head for individual workplace positioning.

We offer TruPort pendants with five heavy load options (HL – 80 kg) and two medium load options (ML – 50 kg).

The shelves can be mounted to the system head without tools by means of the click mechanism.



## Shelves (ML)

Medium load shelf – payload 50 kg.

- Available for M and MPC Rail version
- Available for the L side of the system head
- Flexible position changes via click mechanism
- Max. payload 50 kg
- Up to 2 drawers (ML), optional (max. height 250 mm)
- Side equipment rails and control handle, optional

Options (W x D):

Shelf 530x480 ML · **Mat. No. 1851042**

Shelf 630x480 ML · **Mat. No 1851045**



## Equipment rail, shelf (ML, Set)

Optional equipment rail (V2A) for attachment to medium load shelves.

- Available for M and MPC Rail version
- For mounting on the sides of the shelf
- Max. payload of the standard rails 20 kg
- Dimensions: 25 x10 mm

Equipment rail shelf ML (set) · **Mat. No. 1851210**



### Control handle, shelf (M Rail, ML)

Control handle integrated in the shelf for easy access to adjust the electropneumatic brakes and pendant height.

- Available for M Rail version
- Position change in the range of +/-250 mm without tool possible
- One control option per system head

Operating handle shelf ML · **Mat. No. 1851208**



### Equipment safety corners (Set)

Positioning corners for medium load and heavy load shelves for the attachment of monitors and other devices.

- Available on all shelves

FIX-POS equipment safety corners · **Mat. No. 0337022**



### Shelves (HL)

Heavy load shelf – payload 80 kg.

- Available for M and MPC Rail version
- Available for the L side of the system head
- Shelf 430x480 HL available for the S and L side of the system head
- Incl. side equipment rails (25 x 10 mm, V2A)
- Flexible position changes via click mechanism
- Max. payload 80 kg
- Up to 4 drawers (HL), optional (max. height 500 mm)
- Control handle and instrument trays, optional

Options (W x D):

- Shelf 430x480 HL · **Mat. No. 1636317**
- Shelf 530x480 HL · **Mat. No. 1636318**
- Shelf 630x480 HL · **Mat. No. 1636319**
- Shelf 730x480 HL · **Mat. No. 1712533**



### Shortened shelf (HL)

Heavy load shelf – payload 80 kg.

- Available for M and MPC Rail version
- Available for the S and L side of the system head
- Incl. side equipment rails (25 x 10 mm, V2A)
- Flexible position change via click mechanism
- Max. payload 80 kg
- Control handle, optional
- Instrument trays, optional
- Dimensions (W x D): 430 mm x 260 mm

Shelf 430x260 HL · **Mat. No. 1636316**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories



### Extension shelf (HL)

Extension for heavy load shelves, 480 mm deep.

- Available for M and MPC Rail version
- Available for the L side of the system head
- Extension of the shelf (HL) by 70 mm
- Reduction of the payload to 50 kg

Extension shelf · **Mat. No. 1793618**



### Control handle, shelf (MPC Rail, HL)

Control handle integrated in the shelf for easy access to adjust the electropneumatic brakes and pendant height.

- Available for MPC Rail version
- Flexible position change via click mechanism
- Multiple control options available per system head

Operating handle shelf HL · **Mat. No. 1636351**



### Instrument trays (HL)

Instrument tray for heavy load shelves for placing sterile surgical instruments.

Options (W x D):

- For shelf 430x480 HL:  
Instrument tray 430x480 · **Mat. No. 1640169**
- For shelf 530x480 HL:  
Instrument tray 530x480 · **Mat. No. 1640190**
- For shelf 630x480 HL:  
Instrument tray 630x480 · **Mat. No. 1640191**



### Shortened instrument tray (HL)

Instrument tray for heavy load shelves, for placing sterile surgical instruments.

- For shelf 430x260 HL

Stainless steel tray 430x260 · **Mat. No. 1640168**



## Add-on trays

Add-on tray for placing sterile surgical instruments.

- For mounting to the single swivel arm, Comfortline · 1636435
- For mounting to the dual swivel arm, Comfortline · 1636437

Options (W x D):

Additional tray 310 x 310 · **Mat. No 0337238**

Additional tray 300 x 600 · **Mat. No. 0337337**



## Side tray

Side tray for placing sterile surgical instruments.

- For mounting to the standard rail 25 x 10 mm
- Incl. standard rail clamp for standard rail 25 x 10 mm
- Dimensions (W x D): 250 mm x 370 mm

Attachable tray 250 x 370 · **Mat. No. 0337171**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories

# Drawers

Various drawer options support hospital workflow in all departments and contribute to the safety of both patients and staff.

Up to four drawers – with and without locking system – per shelf can be mounted under the shelves. Various drawer versions are available for optimal workplace design and safety.



## Drawers (ML)

Drawer for keeping working materials.

- Available for M and MPC Rail version
- Up to 2 drawers for mounting
- Height: 125 mm

### Options:

- For mounting under the shelf 530x480 ML:  
Drawer 530 ML · **Mat. No. 1851273**
- For mounting under the shelf 630x480 ML:  
Drawer 630 ML · **Mat. No. 1851275**



## High drawers (ML)

Drawer for keeping working materials.

- Available for M and MPC Rail version
- Height: 250 mm

### Options:

- For mounting under the shelf 530x480 ML:  
Drawer 530 ML double · **Mat. No. 1851274**
- For mounting under the shelf 630x480 ML:  
Drawer 630 ML double · **Mat. No. 1851276**



### Drawers (HL)

Drawer with integrated push to open function for hygienic and ergonomic working.

- Available for M and MPC Rail version
- Up to 4 drawers for mounting
- Height: 125 mm

Options:

- For mounting under the shelf 430x480 HL:  
Drawer 430 HL · **Mat. No. 1636353**
- For mounting under the shelf 530x480 HL:  
Drawer 530 HL · **Mat. No. 1636355**
- For mounting under the shelf 630x480 HL:  
Drawer 630 HL · **Mat. No. 1636358**
- For mounting under the shelf 730x480 HL:  
Drawer 630 HL · **Mat. No. 1636358 (up to 2 drawers)**



### Keyboard drawers (HL)

Drawer with integrated push to open function for accommodating a keyboard for hygienic and ergonomic working.

- Available for M and MPC Rail version
- For accommodating a keyboard
- Combine with drawers (HL) and storage tray (HL)
- Height: 125 mm

Options:

- For mounting under the shelf 530x480 HL:  
Drawer 530 HL for keyboard · **Mat. No. 1636357**
- For mounting under the shelf 630x480 HL:  
Drawer 630 HL for keyboard · **Mat. No. 1636390**



### High drawers (HL)

Drawer with integrated push to open function for hygienic and ergonomic working.

- Available for M and MPC Rail version
- Up to 2 drawers for mounting
- Height: 250 mm

Options:

- For mounting under the shelf 430x480 HL:  
Drawer 430 HL double · **Mat. No. 1636354**
- For mounting under the shelf 530x480 HL:  
Drawer 530 HL double · **Mat. No. 1636356**
- For mounting under the shelf 630x480 HL:  
Drawer 630 HL double · **Mat. No. 1636359**
- For mounting under the shelf 730x480 HL:  
Drawer 630 HL double · **Mat. No. 1636359 (only 1 drawer)**



### Electronic locking system (MPC Rail, HL)

Electronic locking system for drawers (HL) for safe storage of working materials and protection against unauthorized access.

- Available for MPC Rail version
- Suitable for TruPort keypad module or safety system installed on site
- Up to 2 drawers (HL) can be controlled simultaneously

Locking system drawer HL · **Mat. No. 1776300**

**Optional:** TruPort keypad module for operating the electronic locking system via number code (see picture).

- Available for the L side of the system head
- Independent of the safety system installed on site
- Height: 125 mm

Keypad module L · **Mat. No. 1776333**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories



### Slide-in tray TruVidia HD / 3D (HL)

Slide-in tray for accommodating the TruVidia HD / 3D controller.

- Available for M and MPC Rail version
- For mounting under the shelf 530x480 HL
- Shelf payload: 50 kg

Storage shelf 530 HL TruVidia HD · **Mat. No. 1771244**



### Storage tray (HL)

Storage tray for accommodating working materials.

- Available for M and MPC Rail version
- Storage tray open at the front
- Combine with drawers (HL) and keyboard drawer (HL)
- Height: 125 mm

Options:

- For mounting under the shelf 430x480 HL:  
Storage shelf 430 HL · **Mat. No. 1636391**
- For mounting under the shelf 530x480 HL:  
Storage shelf 530 HL · **Mat. No. 1636392**
- For mounting under the shelf 630x480 HL:  
Storage shelf 630 HL · **Mat. No. 1636393**



### AmbientLine Desk (MPC Rail, HL)

Drawer lighting for shelves (HL) for improving the working conditions.

- Available for MPC Rail version
- Quick and safe access to medical supplies

AmbientLine Desk · **Mat. No. 1636352**

**Optional:** Automatic control of drawer lighting via push to open function

Control via Drawer · **Mat. No. 1495009**

General accessories

Device holders

Infusion management

Cable management

Equipment rails

Equipment transport

Lifting systems

Monitor holders

Lighting

Drawers


Shelves

Control options

# Lighting

Various lighting options enhance job safety for the hospital personnel and improve working conditions in both the OR and ICU.

AmbientLine Floor and AmbientLine Ceiling create a safe and effective working environment in dimmed clinical situations. AmbientLine Desk and rotatable LED lights provide optimal illumination for the workspace.




AmbientLine Floor (white)

Floor lighting with white LEDs for quick and safe orientation in dimmed rooms.

- Available for M and MPC Rail version
- Integrated optionally in either the system head or subsystem head for a pipe length of 400 mm
- Requires controller for AmbientLine 1495018 and Switch/dimmer 1495014

AmbientLine Floor – White · **Mat. No. 1495004**



AmbientLine Floor (RGB)

Floor lighting with colored RGB LEDs, particularly suitable for endoscopic interventions.

- Available for M and MPC Rail version
- Integrated optionally in either the system head or subsystem head for a pipe length of 400 mm
- Requires controller for AmbientLine 1495018 and Switch/dimmer 1495014

AmbientLine Floor – RGB · **Mat. No. 1495005**




### AmbientLine Ceiling (white)

Ceiling lighting with white LEDs for quick and safe orientation in dimmed rooms.

- Available for M and MPC Rail version
- Integrated in outer horizontal support arm
- Requires controller for AmbientLine 1495018 and Switch/dimmer 1495014

AmbientLine Ceiling – White · **Mat. No. 1495006**



### AmbientLine Ceiling (RGB)

Ceiling lighting with colored RGB LEDs, particularly suitable for endoscopic interventions.

- Available for M and MPC Rail version
- Integrated in outer horizontal support arm
- Requires controller for AmbientLine 1495018 and Switch/dimmer 1495014

AmbientLine Ceiling – RGB · **Mat. No. 1495007**



### Controller for AmbientLine

Required module for AmbientLine Floor and AmbientLine Ceiling

- Available for M and MPC Rail version
- Consisting of an electronic control unit and power supply unit

Base Module Floor/Ceiling · **Mat. No. 1495018**



### Switch / dimmer

Switch/dimmer for controlling AmbientLine Floor and AmbientLine Ceiling.

- Available for M and MPC Rail version
- Available for the L side of the system head
- 1 dimmer for AmbientLine Floor (picture shows 2 dimmers)
- 1 dimmer for AmbientLine Ceiling (picture shows 2 dimmers)

Switch/Dimmer · **Mat. No. 1495014**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories



### AmbientLine Desk (MPC Rail, HL)

Drawer lighting for shelves (HL) for improving the working conditions of personnel.

- Available for MPC Rail version
- Quick and safe access to medical supplies

AmbientLine Desk · **Mat. No. 1636352**

**Optional:** Automatic control of drawer lighting via push to open function

Control via Drawer · **Mat. No. 1495009**



### Rotatable LED light (MPC Rail)

Rotatable LED light for improving the working conditions by means of the optimal illumination of the workplace.

- Available for MPC Rail version
- Available for the S and L side of the system head
- Flexible position change via click mechanism
- Dimmable light

Rotatable LED light · **Mat. No. 1636438**



### Examination lamp

Flexible positioning of the examination lamp.

- Available for M and MPC Rail version
- Incl. clamp for equipment rail 25x10
- Flexible positioning thanks to attachment to the equipment rail 25x10
- 2-stage switch and Spot/Flood toggle switch
- Rated input voltage 230 V / 50Hz

Options:

- Power supply cable with 2-pole Euro plug:  
Examination lamp HX 35 TM/white · **Mat. No. 0337409**
- Power supply cable with UK plug:  
Examination lamp GX 35/2 UK · **Mat. No. 0337441**



### Pendant mounted adapter (TRUMPF lights)

Pendant mounted adapter for attaching an additional light source to the support arm.

- Adaption of a TruLight or iLED to an existing support arm
- Suitable for standard support system (110 mm)

Adaptation - lights to support arm HL/ML · **Mat. No. 0337342**



## Pendant mounted adapter (TruLight 1000)

Pendant mounted adapter for attaching an additional light source to the support arm.

- Adapter for a TruLight 1000 on the support arm
- Not suitable for TRUMPF support system Slimline

Adaptation – lights to support arm HL/ML · **Mat. No. 1720018**

# Monitor holders

Monitor holders serve for the safe and flexible attachment of monitors to the system head – smoothly adapted to the individual working situation in order to ensure that you have a comprehensive overview at all times.

The monitor holders can be easily mounted and positioned on the system head without tools. Thanks to the cable conduit integrated in the monitor support arm, the holders have a hygienic surface and are easy to clean.



## Support arm 300 (VESA)

Simple swivel arm with monitor holder for safe and flexible attachment of monitors on the system head.

- Available for M and MPC Rail version
- Adapter plate for VESA 75/100
- Support arm length 300 mm

Attachment via:

- Adapter, monitor support arm, ComfortLine 1640193
- Holding clamp – pump rod  $\varnothing$  25 mm 0337209

Swivel arm 300 mm - VESA 75/100 · **Mat. No. 0337386**



## Support arm 400 (VESA)

Simple swivel arm with monitor holder for safe and flexible attachment of monitors on the system head.

- Available for M and MPC Rail version
- Adapter plate for VESA 75/100
- Support arm length 400 mm

Attachment via:

- Adapter, monitor support arm, ComfortLine 1640193
- Holding clamp – pump rod  $\varnothing$  25 mm 0337209

Swivel arm 400 mm - VESA 75/100 · **Mat. No. 0337387**



### Support arm, 2-fold 240 (VESA)

Dual swivel arm with monitor holder for safe and flexible attachment of monitors on the system head.

- Available for M and MPC Rail version
- Adapter plate for VESA 75/100
- Support arm length 240 mm + 240 mm

Attachment via:

- Adapter, monitor support arm, ComfortLine 1640193
- Holding clamp – pump rod Ø 25 mm 0337209

Double swivel arm 240 mm - VESA 75/100 · **Mat. No. 0337432**



### Support arm, 2-fold 300 (VESA)

Dual swivel arm with monitor holder for safe and flexible attachment of monitors on the system head.

- Available for M and MPC Rail version
- Adapter plate for VESA 75/100
- Support arm length 300 mm + 300 mm

Attachment via:

- Adapter, monitor support arm, ComfortLine 1640193
- Holding clamp – pump rod Ø 25 mm 0337209

Double swivel arm 300 mm - VESA 75/100 · **Mat. No. 0337433**



### Height adjustable support arm 300 (VESA)

Adjustable in height, simple swivel arm with monitor holder for safe and flexible attachment of monitors on the system head.

- Available for M and MPC Rail version
- Adapter plate for VESA 75/100
- Support arm length height adjustable 300 mm
- Attachment via: Adapter, monitor support arm, ComfortLine 1640193

Double swivel arm HV 300mm - VESA 75/100 · **Mat. No. 0337460**



### Height adjustable support arm, 2-fold 300 (VESA)

Adjustable in height, dual swivel arm with monitor holder for safe and flexible attachment of monitors on the system head.

- Available for M and MPC Rail version
- Adapter plate for VESA 75/100
- Support arm length 300 mm + height adjustable 300 mm
- Attachment via: Adapter, monitor support arm, ComfortLine 1640193

Double swivel arm HV 300mm - VESA 75/100 · **Mat. No. 0337468**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories



### Height adjustable support arm, 2-fold 300 (VESA, keyboard)

Adjustable in height, dual swivel arm with monitor holder for safe and flexible attachment of monitors on the system head.

- Available for M and MPC Rail version
- Adapter plate for VESA 75/100 and keyboard/mouse (580 x 200 mm)
- Support arm length 300 mm + height adjustable 300 mm
- Attachment via: Adapter, monitor support arm, ComfortLine 1640193

Double swivel arm HV 300mm - VESA, Keyb. · **Mat. No. 0337478**



### VESA monitor holder for pump pole holder Ø 25 mm (75/100)

Simple monitor holder for safe and flexible attachment of monitors on the system head.

- Available for M and MPC Rail version
  - Adapter plate for VESA 75/100
- Attachment via:
- Swivel arm, simple, ComfortLine 1636435
  - Swivel arm, dual, ComfortLine 1636437
  - Equipment rail clamp for pump rod 0337088

VESA adaptation - uniPORT carrying arm · **Mat. No. 0337373**



### VESA monitor holder (75/100)

Simple monitor holder for safe and flexible attachment of monitors on the system head.

- Available for M and MPC Rail version
  - Adapter plate for VESA 75/100
- Attachment via:
- Adapter, monitor support arm, ComfortLine 1640193
  - Holding clamp – pump rod Ø 25 mm 0337209

VESA Monitor adaptation 75/100 · **Mat. No. 0337331**



### Support arm, 2-fold 300 (Philips)

Dual swivel arm with monitor holder for safe and flexible attachment of monitors on the system head.

- Available for M and MPC Rail version
  - Adapter plate, Philips
  - Support arm length 300 mm + 300 mm
- Attachment via:
- Adapter, monitor support arm, ComfortLine 1640193
  - Holding clamp – pump rod Ø 25 mm 0337209

Double swivel arm 300 mm - Philips · **Mat. No. 1938188**



### Height adjustable support arm, 2-fold 300 (Philips)

Adjustable in height, dual swivel arm with monitor holder for safe and flexible attachment of monitors on the system head.

- Available for M and MPC Rail version
- Adapter plate, Philips
- Support arm length 300 mm + h.a. 300 mm
- Attachment via: Adapter, monitor support arm, ComfortLine 1640193

Double swivel arm HV 300mm - Philips · **Mat. No. 1938191**



### Holding clamp for pump rod

Adapter for mounting monitor support arms to the pump rods  $\varnothing$  25 mm.

- Available for M and MPC Rail version
- Suitable for accommodating all monitor support arms

Fixation clamp - pump rod  $\varnothing$  25 mm · **Mat. No. 0337209**



### Adapter for monitor support arm

Adapter with click mechanism, suitable for accommodating all monitor support arms.

- Available for M and MPC Rail version
- Available for the S and L side of the system head
- Flexible positioning on the system head
- Max. payload 30 kg/102 Nm

Adapter monitor holder ComfortLine · **Mat. No. 1640193**



### Adapter for CIM / GCX channel

Adapter for mounting products with GCX or CIM channel interface.

- Available for M and MPC Rail version
- Available for the S and L side of the system head
- Suitable for accommodating all support arms with GCX or CIM channel interface
- For applications including monitoring, suction devices, third-party products with rail-compatible interface
- Existing monitor arms can still be used
- Flexible position change via click mechanism
- Max. payload 30 kg / 102 Nm

Adapter TruPort CIM Channel CL · **Mat. No. 1776363**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories



## Holder, system head column for CIM / GCX channel

Adapter for mounting products with GCX  
or CIM channel interface.

- Available for M and MPC Rail
- Suitable for accommodating all support arms with GCX or CIM channel interface
- For applications including monitoring, suction devices, third-party products with rail-compatible interface
- Attachment to the system head column
- Attachment of monitor arms above the system heads possible
- Existing monitor arms can still be used
- Max. payload 2x30 kg/102 Nm

Holder CIM Channel system head tube · **Mat. No. 177757**

General accessories

Device holders

Infusion management

Cable management

Equipment rails

Equipment transport

Lifting systems

Monitor holders

Lighting

Drawers

Shelves

Control options

# Lifting systems

The lifting system integrated in the pendant head serves as an easy and safe docking and lifting solution for heavy endoscopy, anesthesia and respiratory devices – optimal foot space and floor clearance.

Lifting systems are available for both height adjustable and non-height adjustable pendants.



## Lifting system (MPC Rail)

Lifting system integrated in the pendant head, height adjustable with electric motor, for simple docking and lifting of endoscopic, anaesthetic and respiration devices into the desired position.

- Available for MPC Rail version
  - Available for L system heads and heavy load pendants
  - Incl. double pivot support with safety scanning pushbuttons for docking and automatic motion stop in case of collision
  - Load up to 290 kg/ 1250 Nm
  - Max. height adjustment 600 mm
- Optional supporting bolts for fixing in the horizontal position:
- Support pins fix 1466180
  - Support pins flexible 0337395 (see picture)

Integrated Lifter HL - Double pivot · **Mat. No. 1636419**



## Equipment adapter

Double pivot support integrated in the system head for non-height adjustable pendants, for the simple attachment of endoscopic, anaesthetic and respiration devices in the desired position.

- Available for M and MPC Rail version
- Optional supporting bolts for fixing in the horizontal position:
- Support pins fix 1466180 (see picture)
  - Support pins flexible 0337395

Double pivot equipment adapter · **Mat. No. 1636431**



## Height adjustable equipment adapter

Double pivot support integrated in the system head for height adjustable pendants, for simple docking and lifting of endoscopic, anaesthetic and respiration devices in the desired position.

- Available for M and MPC Rail version
- Incl. safety switches for docking and automatic motion stop
- Max. height adjustment 700 mm
- Max. lifting speed 30 mm/s

Optional supporting bolts for fixing in the horizontal position:

- Support pins fix 1466180 (see picture)
- Support pins flexible 0337395

Double pivot equipment adapter - HV · **Mat. No. 1636430**

# Equipment transport

The mobile infusion carrier TransfuPORT is the perfect solution for the safe, efficient and speedy transport of patients across various departments of the hospital.

The docking points can be attached to the TruPort system head, the patient bed and the OR table. This ensures that the infusion carrier is always positioned close to the patient and repositioned flexibly.



## Mobile infusion carrier transfuPORT

Mobile infusion carrier for safe patient transport.

- Available for M and MPC Rail version
- Incl. adapter
- Incl. pump rod 650 x 25 mm

Pivot support for additional ordering:

- transfuPORT pivot support – OPT / bed 0337237
- transfuPORT pivot support – GS 25x10 0337223
- transfuPORT pivot support 0337204

transfuPORT mobile infusion holder · **Mat. No. 0337346**



## Pivot support transfuPORT (OPT, bed)

TransfuPORT pivot support for OR table or patient bed.

- Available for M and MPC Rail version
- Incl. clamp for equipment rail 25x10 mm

transfuPORT pivot bracket - ORT / bed · **Mat. No. 0337237**



### Pivot support transfuPORT (Equipment rails 25x10)

TransfuPORT pivot support for attachment to equipment rails 25x10 mm.

- Available for M and MPC Rail version

transfuPORT pivot bracket - rail 25 x 10 · **Mat. No. 0337223**



### Pivot support transfuPORT (swivel arms)

TransfuPORT Pivot support for attachment to swivel arms.

- Available for M and MPC Rail version

transfuPORT taper pivot bracket · **Mat. No. 0337204**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories

# Equipment rails

The TruPort equipment rails are used to attach accessories on any side and along the entire length of the system head – quickly and easily for individual workplace design.

The position of the TruPort equipment rails can be adjusted to the corresponding work situation at any time using the click mechanism.

All equipment rails have a maximum payload of 20 kg and a plastic end piece as shock protection.



## Equipment rail 220

Equipment rail horizontal 220.

- Available for M and MPC Rail version
- Available for the S side of the system head
- Flexible position change via click mechanism
- V2A equipment rail 220 mm
- Max. payload 20 kg

Equipment rail horiz. 220 ComfortLine · **Mat. No. 1636413**



## Equipment rail 310

Equipment rail horizontal 310.

- Available for M and MPC Rail version
- Available for the L side of the system head
- Flexible position change via click mechanism
- V2A equipment rail 310 mm
- Max. payload 20 kg

Equipment rail horiz. 310 ComfortLine · **Mat. No. 1636414**



## Equipment rail 450

Equipment rail horizontal 450.

- Available for M and MPC Rail version
- Available for the S and L side of the system head
- Flexible position change via click mechanism
- V2A equipment rail 450 mm
- Max. payload 20 kg

Equipment rail horiz. 450 ComfortLine · **Mat. No. 1636415**



## Equipment rail 600

Equipment rail horizontal 600.

- Available for M and MPC Rail version
- Available for the S and L side of the system head
- Flexible position change via click mechanism
- V2A equipment rail 600 mm
- Max. payload 20 kg

Equipment rail horiz. 600 ComfortLine · **Mat. No. 1636416**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories

# Cable management

Cable management protects against damage and contamination during use – for increased operational safety and for meeting high hygienic standards.

TruPort offers various solutions for the implementation of professional cable management.



## Storage module

Storage compartment module L for the safekeeping of small objects or cables in the system head.

- Available for M and MPC Rail version
- Available for the L side of the system head
- Push to open/close function
- Height 125 mm, storage compartment volume 1,000 ccm

Storage module L · **Mat. No. 1717421**



## Disposable cable box (set)

Disposable cable box for the safe storage of cables.

- Available for M and MPC Rail version
- Available for the L side of the system head
- For the intermediate space between the system head and the component
- Max. payload 0.5 kg
- 5 pieces per set per order

Disposable cable box, 5 pcs. (set) · **Mat. No. 1777448**



## Power supply module

Module L for non-heating apparatus with two fixed installed IEC cables for the power supply of external devices independent of the corresponding national standard. Approx. 90% of all external devices are connected to the power supply using these plugs.

- Available for M and MPC Rail version
- Available for the L side of the system head
- Suitable for WAGO wiring
- Suitable for PowerLine wiring
- Incl. 2 x IEC 320 connecting cable
- Hygienic supply of medical equipment
- Push to open function for opening the cover
- Incl. control lamp for operating status indication
- Height 125 mm

Power Supply Module L · **Mat. No. 1776338**



## Cover, cable management

Cable outlet socket incl. strain relief mechanism and hygienic cable routing.

- Frame dimensions: 80 x 80 mm  
(Picture shows 2 covers)

Cable management cover · **Mat. No. 1542153**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories

# Infusion management

Efficient infusion management optimizes the workflow in the OR and ICU and ensures continuous patient supply.

The TruPort accessories for infusion management offer a selected range of pump rods, swivel arms, clamps, equipment rails, etc. for efficient infusion management.



## Swivel arm, single

Single swivel arm incl. click mechanism for accommodating pump poles and infusion bottle holders.

- Available for M and MPC Rail version
- Flexible position change via click mechanism
- Pump poles Ø 25 mm
- Infusion bottle holder Ø 25 mm
- 4 depth adjustment positions, contacted throughout
- Length 200 mm
- Max. payload 40 kg

Swivel arm single ComfortLine · **Mat. No. 1636435**



## Swivel arm, double

Dual swivel arm incl. click mechanism for accommodating pump poles or infusion bottle holders.

- Available for M and MPC Rail version
- Flexible position change via click mechanism
- Pump poles Ø 25 mm
- Infusion bottle holder Ø 25 mm
- 4 depth adjustment positions, contacted throughout
- Length 400 mm
- Max. payload 20 kg

Swivel arm double ComfortLine · **Mat. No. 1636437**



## Equipment rail 600

Equipment rail horizontal 600.

- Available for M and MPC Rail version
- Available for the S and L side of the system head
- Flexible position change via click mechanism
- V2A equipment rail 600 mm
- Max. payload 20 kg

Equipment rail horiz. 600 ComfortLine · **Mat. No. 1636416**



## Infusion pump poles

Infusion pump poles 300 x 25 mm up to 1,500 x 25 mm.

- Available for M and MPC Rail version
- Diameter Ø 25 mm

Options (L x Ø):

Infusion pump rod 300 x 25 · **Mat. No. 0337027**

Infusion pump rod 650 x 25 · **Mat. No. 0337057**

Infusion pump rod 1000 x 25 · **Mat. No. 0337071**

Infusion pump rod 1300 x 25 · **Mat. No. 0337073**

Infusion pump rod 1500 x 25 · **Mat. No. 0337085**



## Infusion bottle holder

Infusion bottle holder incl. quadruple bottle cross and drain glass.

- Available for M and MPC Rail version
- Diameter Ø 25 mm
- Height adjustment via single hand safety adjustment mechanism, from 1,120 mm to 1,980 mm

Infusion bottle holder 1120 - 1980 x 25 · **Mat. No. 0337270**



## Quadruple hook for infusion pump pole

Quadruple hook for infusion pump pole.

- Available for M and MPC Rail version

Quadruple hook for Infusion pump rod · **Mat. No. 0337106**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories



### Single hook for infusion pump pole

Single hook for infusion pump pole.

- Available for M and MPC Rail version

Single hook for infusion pump rod · **Mat. No. 0337026**



### Equipment rail clamp for pump pole

Equipment rail clamp for pump pole.

- Available for M and MPC Rail version
- Suitable for equipment rails 25x10 mm, 30x10 mm, Uniflex and Duoflex rails
- Suitable for pump poles Ø 25 mm

Equipment rail clamp for pump rod · **Mat. No. 0337088**



### Equipment rail 25x10/300 (AL)

Equipment rail 25 x 10 / 300 mm.

- Available for M and MPC Rail version

Equipment rail 25x10/300 mm AL · **Mat. No. 0337011**



### Equipment rail 25x10/500 (AL)

Equipment rail 25 x 10 / 500 mm.

- Available for M and MPC Rail version

Equipment rail 25x10/500 mm AL · **Mat. No. 0337016**



### Infusion hook rail

Infusion hook rail with 4 infusion hooks.

■ Available for M and MPC Rail version

Infusion hook rail with 4 infusion hooks · **Mat. No. 0337089**



### Support rail with clamp

Support rail with clamp.

■ Available for M and MPC Rail version

Distance rail with clamp · **Mat. No. 0337149**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories

# Device holders

In addition to the accommodation of shelves and monitor holders, the device holders provide further options to support various medical equipment.

The components can be mounted above and below the system head or easily attached using the click mechanism.



## Subsystem head

Subsystem head for accommodating devices such as docking carts and suction containers.

■ Available for M and MPC Rail version

Options (L mm):

Subsystem head 400 without rail carrier · **Mat. No. 1819476**

Subsystem head 600 without rail carrier · **Mat. No. 1819480**



## Equipment rail carrier for subsystem head

Fixed carrier for docking cart.

■ Available for M and MPC Rail version

Equipment rail carrier - sub-system head · **Mat. No. 0337292**



### Subsystem head holder, 4-fold

Holder, 4-compartment subsystem head for accommodating suction containers, third-party devices and additional accessories with channel interface

- Available for M and MPC Rail version
  - Max. payload 4 x 5 kg
- For mounting to the subsystem head:
- Subsystem head 400 w/o equipment rail carrier 1819476
  - Subsystem head 600 w/o equipment rail carrier 1819480

Holder 4-way of sub boom head · **Mat. No. 177758**



### Adapter, Hermann Miller

Adapter for attachment to the TruPort system head in order to be able to benefit from the comprehensive Hermann Miller equipment system. This system includes various shelves, drawers, sorting inserts, etc.

- Available for M and MPC Rail version
- Available for the L side of the system head
- With click mechanism for flexible positioning
- Max. payload 80 kg

Adapter Hermann Miller · **Mat. No. 1777447**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories

# General accessories

The general TruPort accessories support efficient workflow and hygienic working environment in the OR and ICU.

The portfolio of options including various containers, holders and partitions.



### Catheter basket 300

Basket for catheters up to 300 mm length, made from stainless steel, with bridge.

- Available for M and MPC Rail version
- Dimensions (H x W x D): 280 x 150 x 100 mm

Basket for suction catheters 300 mm · **Mat. No. 0337206**



### Catheter basket 600

Basket for catheters up to 600 mm length, made from stainless steel, with bridge.

- Available for M and MPC Rail version
- Dimensions (H x W x D): 480 x 150 x 100 mm

Basket for suction catheters 600 mm · **Mat. No. 0337214**



### Catheter tubular

Catheter tubular for attachment to the equipment rail 25x10.

- Available for M and MPC Rail version
- Tubular base adjustable from 360 to 660 mm according to the catheter length
- Dimensions (L x W x D): 660 x 120 x 80 mm

Catheter holder · **Mat. No. 0337250**



### Rack for disposable bag

Disposable bag rack for attachment to the equipment rail 25x10.

- Available for M and MPC Rail version

Waste bag holder · **Mat. No. 0337207**



### Stainless steel deposit basket

Stainless steel storage basket with 2 hooks.

- Available for M and MPC Rail version
- Dimensions (H x W x D): 80 x 165 x 125 mm

Stainless steel basket with two hooks · **Mat. No. 0337226**



### Stainless steel wire deposit basket

Stainless steel storage basket with 2 hooks.

- Available for M and MPC Rail version
- Dimensions (H x W x D): 100 x 300 x 200 mm

Stainless steel basket with two hooks · **Mat. No. 0337243**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories



### Horizontal glove holder

Glove holder made from stainless steel wire.

- Available for M and MPC Rail version
- Dimensions (H x W x D): 55 x 250 x 130 mm

Glove holder stainless steel basket · **Mat. No. 0337188**



### Vertical glove holder

Glove holder with hooks for rails for storing glove boxes.

- Available for M and MPC Rail version
- Dimensions (H x W x D): 200 x 134 x 90 mm

Glove box holder with hooks for rails · **Mat. No. 0337162**



### Curtain partition 1500

Curtain partition with telescopic slide-out, 1,500 mm long.

- Available for M and MPC Rail version
- Incl. TCS 151 curtain, flame resistant
- Color: white
- Dimensions (W x H): 170 x 120 mm

Patient curtain, telescopic arm 150 cm · **Mat. No. 0337444**



### Curtain partition, foldable 1600

Retractable curtain partition with telescopic slide-out, 1,600 mm long.

- Available for M and MPC Rail version
- Incl. TCS 151 curtain, flame resistant
- Retractable
- Color: white
- Dimensions (W x H): 170 x 120 mm

Patient curtain tiltable, telescopic arm 160 cm · **Mat. No. 0337449**




## Cable support arm universal

Feeder holder arm, universal.

- Available for M and MPC Rail version
- Incl. clamp for equipment rail 25x10
- Max. fold-out length approx. 1,000 mm

Cable support arm universal · **Mat. No. 0337245**



## Gas bottle holder

Gas bottle holder for the safe attachment of oxygen and other gas bottles with a weight of up to 50 kg.

- Available for M and MPC Rail version
- Flexible position change via click mechanism
- Max. payload 50 kg

Consisting of:

- Bottle adapter (for placing the bottle)
- Belt angle with belt (for attaching the bottle)

Options:

- 5 l to 10 l (Ø up to 145 mm):  
Gas bottle holder L / D=150 · **Mat. No. 1771220**
- 5 l to 20 l (Ø up to 200 mm):  
Gas bottle holder L / D=200 · **Mat. No. 1771241**

Control options

Shelves

Drawers

Lighting

Monitor holders

Lifting systems

Equipment transport

Equipment rails

Cable management

Infusion management

Device holders

General accessories

TRUMPF Medical Systems worldwide.

**TRUMPF Medizin Systeme GmbH + Co. KG**

Head office:

Carl-Zeiss-Strasse 7-9

07318 Saalfeld

Germany

Phone +49 (0) 36 71 / 5 86-0

E-Mail [med@trumpf.com](mailto:med@trumpf.com)

[www.trumpf.com](http://www.trumpf.com)

Puchheim works:

Benzstrasse 26

82178 Puchheim

Germany

Phone +49 (0) 89 / 8 09 07-0

Fax +49 (0) 89 / 8 09 07-40 020

E-Mail [med@trumpf.com](mailto:med@trumpf.com)

[www.trumpf.com](http://www.trumpf.com)

**The TRUMPF Group.**

Since the founding of TRUMPF, this traditional German company, in 1923, the corporate philosophy of the entire TRUMPF Group has included the principles of innovation, quality and customer proximity. TRUMPF does not see innovation as being an end in itself, but unequivocally focuses its innovative strength on the needs of users. And with great success: Today TRUMPF is one of the world's leading technology companies for machine tools as well as laser and medical technology.

Milestones in medical technology at the company occurred in 1978 with installation of the first ceiling stands, in 1997 with development of the patented coupling system for operating tables, in 2005 with the world's first OR lights featuring LED technology, and in 2010 with introduction of the first modular ceiling-mounted supply unit.

**Subsidiaries and branch offices:**

**Austria**

TRUMPF Medizin Systeme Österreich GmbH

**France**

TRUMPF Systèmes Médicaux

**United Kingdom**

TRUMPF Medical Systems Ltd.

**Italy**

TRUMPF MED Italia s.r.l.

**U.S.A.**

TRUMPF Medical Systems, Inc.

**Australia**

TRUMPF MED Australia

**Singapur**

TRUMPF (Pte.) Ltd. (Medical Division)

**China**

TRUMPF Medical Systems Ltd.

**United Arab Emirates**

TRUMPF Medical Systems Dubai

**Russia**

TRUMPF Med OOO



**Pure inspiration:  
Discover the entire world of  
TRUMPF Medical Systems online!**